

Objective Exam

Name: _____ Hall Ticket No.

						A			
--	--	--	--	--	--	---	--	--	--

Answer All Questions. All Questions Carry Equal Marks. Time: 20 Min. Marks: 10.

I. Choose the correct alternative:

1. _____ mode provides protection primarily for upper layer protocols. []
A)transport B) tunnel C)both D)none
2. It employs a mechanism known as cookies to thwart _____. []
A) replay attacks B) clogging attacks C) release of message contents D) none
3. _____ firewall type forwards or discard the packet. []
A)packet filtering router B)application level gate way C)circuit level gate way D)none
4. _____ Provides the transport service for web can operate on top of SSL. []
A) TCP B)UDP C)IP D)HTTP
5. ____ involves the collection of data relating to behavior of legitimate users over a period of time. []
A) statistical anomaly detection B)rule based detection C)A&B D)non
6. _____ byte secret key shared between client and server. []
A) 48 B)50 C)128 D)64
7. _____ are independent malicious programs []
A) trap door B)virus C) worm D)Trojan horse
8. _____ is a process that has goods or services to sell to the card holder. []
A)issuer B)acquirer C)merchant D)CA
9. An individual who is not authorized to use the system and exploit to act as legitimate user called []
A) misfeasor B)clandestine user C)masquerader D) None
10. Operation performed on subject or object called _____. []
A)subject B)action C)object D)time stamp

Cont.....2

II Fill in the Blanks:

11. Ip sec is implemented in a firewall or router, it provides _____
12. _____ indicates whether the association is an AH or ESP.
13. _____ exchange requires that each side send a pseudorandom number.
14. The _____ support for data integrity and authentication of IP packets.
15. _____ to ensure replay attacks
16. An _____ is an association between client and a server.
17. The purpose of _____ is to link to messages that are intended for two different recipients.
18. _____ trigger action when condition occurs.
19. An application level gateway also called as _____
20. False positives means _____ user are identified as intruders.

-oOo-

Name: _____ Hall Ticket No.

						A				
--	--	--	--	--	--	---	--	--	--	--

Answer All Questions. All Questions Carry Equal Marks. Time: 20 Min. Marks: 10.

I. Choose the correct alternative:

1. _____ Provides the transport service for web can operate on top of SSL. []
A) TCP B)UDP C)IP D)HTTP
2. _____ involves the collection of data relating to behavior of legitimate users over a period of time. []
A) statistical anomaly detection B)rule based detection C)A&B D)non
3. _____ byte secret key shared between client and server. []
A) 48 B)50 C)128 D)64
4. _____ are independent malicious programs []
A) trap door B)virus C) worm D)Trojan horse
5. _____ is a process that has goods or services to sell to the card holder. []
A)issuer B)acquirer C)merchant D)CA
6. An individual who is not authorized to use the system and exploit to act as legitimate user called []
A) misfeasor B)clandestine user C)masquerader D) None
7. Operation performed on subject or object called _____ []
A)subject B)action C)object D)time stamp
8. _____ mode provides protection primarily for upper layer protocols. []
A)transport B) tunnel C)both D)none
9. It employs a mechanism known as cookies to thwart _____. []
A) replay attacks B) clogging attacks C) release of message contents D) none
10. _____ firewall type forwards or discard the packet. []
A)packet filtering router B)application level gate way C)circuit level gate way D)none

Cont.....2

II Fill in the Blanks:

11. The _____ support for data integrity and authentication of IP packets.
12. _____ to ensure replay attacks
13. An _____ is an association between client and a server.
14. The purpose of _____ is to link to messages that are intended for two different recipients.
15. _____ trigger action when condition occurs.
16. An application level gateway also called as _____
17. False positives means _____ user are identified as intruders.
18. Ip sec is implemented in a firewall or router, it provides _____
19. _____ indicates whether the association is an AH or ESP.
20. _____ exchange requires that each side send a pseudorandom number.

-oOo-

Name: _____ Hall Ticket No.

						A			
--	--	--	--	--	--	---	--	--	--

Answer All Questions. All Questions Carry Equal Marks. Time: 20 Min. Marks: 10.

I. Choose the correct alternative:

1. _____ byte secret key shared between client and server. []
A) 48 B)50 C)128 D)64
2. _____ are independent malicious programs []
A) trap door B)virus C) worm D)Trojan horse
3. _____ is a process that has goods or services to sell to the card holder. []
A)issuer B)acquirer C)merchant D)CA
4. An individual who is not authorized to use the system and exploit to act as legitimate user called []
A) misfeasor B)clandestine user C)masquerader D) None
5. Operation performed on subject or object called _____ []
A)subject B)action C)object D)time stamp
6. _____ mode provides protection primarily for upper layer protocols. []
A)transport B) tunnel C)both D)none
7. It employs a mechanism known as cookies to thwart _____. []
A) replay attacks B) clogging attacks C) release of message contents D) none
8. _____ firewall type forwards or discard the packet. []
A)packet filtering router B)application level gate way C)circuit level gate way D)none
9. _____ Provides the transport service for web can operate on top of SSL. []
A) TCP B)UDP C)IP D)HTTP
10. _____ involves the collection of data relating to behavior of legitimate users over a period of time. []
A) statistical anomaly detection B)rule based detection C)A&B D)non

Cont.....2

II Fill in the Blanks:

11. An _____ is an association between client and a server.
12. The purpose of _____ is to link to messages that are intended for two different recipients.
13. _____ trigger action when condition occurs.
14. An application level gateway also called as _____
15. False positives means _____ user are identified as intruders.
16. Ip sec is implemented in a firewall or router, it provides _____
17. _____ indicates whether the association is an AH or ESP.
18. _____ exchange requires that each side send a pseudorandom number.
19. The _____ support for data integrity and authentication of IP packets.
20. _____ to ensure replay attacks

-oOo-

Name: _____ Hall Ticket No.

						A			
--	--	--	--	--	--	---	--	--	--

Answer All Questions. All Questions Carry Equal Marks. Time: 20 Min. Marks: 10.

I. Choose the correct alternative:

1. _____ is a process that has goods or services to sell to the card holder. []
A) issuer B) acquirer C) merchant D) CA
2. An individual who is not authorized to use the system and exploit to act as legitimate user called []
A) misfeasor B) clandestine user C) masquerader D) None
3. Operation performed on subject or object called _____ []
A) subject B) action C) object D) time stamp
4. _____ mode provides protection primarily for upper layer protocols. []
A) transport B) tunnel C) both D) none
5. It employs a mechanism known as cookies to thwart _____. []
A) replay attacks B) clogging attacks C) release of message contents D) none
6. _____ firewall type forwards or discards the packet. []
A) packet filtering router B) application level gateway C) circuit level gateway D) none
7. _____ Provides the transport service for web can operate on top of SSL. []
A) TCP B) UDP C) IP D) HTTP
8. _____ involves the collection of data relating to behavior of legitimate users over a period of time. []
A) statistical anomaly detection B) rule based detection C) A&B D) non
9. _____ byte secret key shared between client and server. []
A) 48 B) 50 C) 128 D) 64
10. _____ are independent malicious programs []
A) trap door B) virus C) worm D) Trojan horse

Cont.....2

II Fill in the Blanks:

11. _____ trigger action when condition occurs.
12. An application level gateway also called as _____
13. False positives means _____ user are identified as intruders.
14. Ip sec is implemented in a firewall or router, it provides _____
15. _____ indicates whether the association is an AH or ESP.
16. _____ exchange requires that each side send a pseudorandom number.
17. The _____ support for data integrity and authentication of IP packets.
18. _____ to ensure replay attacks
19. An _____ is an association between client and a server.
20. The purpose of _____ is to link to messages that are intended for two different recipients.

-oOo-